



Document Manager

- Efficient, fast and easy office document communication for departmental workgroups.
- Latest Toshiba e-BRIDGE technology at 35/45 pages per minute for reliable and exceptional ease-of-use in B&W print, copy, fax, and Colour-Scan.
- Reduced energy consumption in sleep mode - only 1 watt power is used.
- Efficient internal toner recycling system saves cost and resources.

e-STUDIO355
e-STUDIO455





General	Print & Copy Speed	35/45 ppm (A4), 25/25 ppm (A3)
	Warm-up Time	Approx. 20 seconds
	Paper Size & Weight	Cassettes: A5R-A3, 64-105 g/m ² Large Capacity Feeder*: A4, 64-105 g/m ² Bypass: A5R-A3, 52-209 g/m ²
	Paper Capacity	2 x 550 sheets (Cassettes), 100 sheets (Bypass) Maximum: 3,200 sheets
	Automatic Duplex	A5R-A3, 64-105 g/m ²
	Inner Output Tray	250 sheet capacity with offset function
	Controller Type	Toshiba e-BRIDGE
	Control Panel	Tiltable with 8.5" colour touch panel LCD
	Memory	60 GB HDD / 1 GB RAM
	Interface	10/100BaseT (incl. IPv6), High Speed USB 2.0, WLAN* (IEEE802.11b/g), Bluetooth*
	Dimensions & Weight	575 x 586 x 756 mm (W x D x H), ~ 66 kg
Print	Resolution	Max. 2,400 x 600 dpi with smoothing
	Page Description Languages	XPS, PCL6 and PostScript 3 compatible
	Supported Systems	Windows 2000, Windows Vista/XP/Server 2008/Server 2003 (32/64 bit), Mac OS X, Linux/Unix, Novel NetWare, Citrix, SAP, AS/400
Scan	Resolution	Max. 600 x 600 dpi, colour (8Bit) or mono
	Scan Speed	Up to 57/43 (mono/colour) spm (300 dpi)
	Document Feeder*	Max. 100 sheets, A5R-A3, 35-157 g/m ²
	Scan Modes	Auto-Colour (ACS), Colour, Greyscale, B&W
	File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Slim PDF, Secure PDF, Searchable PDF* (and other editable formats like DOC, XLS, RTF, TXT)*
	Scan Functions	Web Services Scan (pull/push), Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP), Meta Scan*, Scan to Box (e-Filing), TWIN1.7
Copy	Resolution	Max. 2,400 x 600 dpi with smoothing
	First Copy	Approx. 3.7 seconds
	Zoom	25-400% (platen glass), 25-200% (RADF*)
	Copy Modes	Text, Text/Photo, Photo, Colour Document, Custom
Fax*	Communication	Super G3, G3 (opt. 2 nd line), Internet Fax T.37
	Transmission Speed	Approx. 3 seconds per page
	Compression	JBIG, MMR, MR, MH
	Fax Memory	TX 500 MB (HDD), RX 200 MB (HDD)
	Network-Fax	Driver for Windows 2000, XP/Vista (32/64 bit)
	Incoming Fax Routing	To shared folder (SMB, FTP), e-mail, e-Filing
System & Security	Device Management	e-BRIDGE Fleet Management Software*, TopAccess remote administration and configuration
	System Features	e-Filing document server for secure storage, document distribution and Print on Demand (1 public box, 200 user boxes), 12,060 One-touch templates for storage of personalised settings or workflows, Print from USB, e-BRIDGE Open Platform*
	Accounting & Security	Role Based Access, LDAP support, 1,000 department codes & 10,000 user codes, card reader support*, private/hold print, standard data encryption, Data Overwrite Enabler*, IP and MAC address filter, port filter, support of SSL and IPSec* protocol, IEEE802.1x support, Scan to Secure PDF
	* Optional	
	Productivity and paper specifications are related to a paper size of A4 and a paper weight of 80 g/m ² if not otherwise mentioned.	

OPTIONS	
RADF – MR-3022	100 sheet capacity, A5R-A3, 35-157 g/m ²
JOB SEPARATOR TRAY – MJ-5006	2 inner trays, 150 and 250 sheet capacity
HANGING FINISHER – MJ-1031	1 tray, 1,000 sheet capacity
	50 sheet single position stapling
	411 x 595 x 383 mm (W x D x H), ~ 12 kg
MULTI-STAPLE FINISHER – MJ-1101	2 trays, 2,250 sheet capacity
	50 sheet multi-position stapling
	535 x 598 x 1,092 mm (W x D x H), ~ 34 kg
SADDLE-STITCH FINISHER – MJ-1024	2 trays, 2,000 sheet capacity
	50 sheets multi-position stapling
	Saddle-stitched booklets of up to 60 pages
	649 x 657 x 1,086 mm (W x D x H), ~ 70 kg
HOLE PUNCH UNIT - MJ-6101/MJ-6004	Option for Finisher MJ-1101/MJ-1024
	Available in 2-holes (E), 4-holes (F/S)
	112 x 573 x 323 mm (W x D x H), ~ 7 kg
	112 x 617 x 378 mm (W x D x H), ~ 9 kg
PAPER FEED PEDESTAL – KD-1025	550 sheet (1 drawer), A5R-A3, 64-105 g/m ²
	668 x 701 x 291.5 mm (W x D x H), ~ 21 kg
LARGE CAPACITY FEEDER – KD-1026A4	2,000 sheet capacity, A4, 64-105 g/m ²
	668 x 737 x 291.5 mm (W x D x H), ~ 25 kg
e-BRIDGE RE-RITE – GB-1280	OCR Server Software adding editable and
	text-searchable file formats to scan function
OTHER OPTIONS	
	DESK MH-2520
	DRAWER MODULE MY-1033
	FAX BOARD GD-1250EU
	E-BRIDGE ID-GATE KP-2004/KP-2005
	WIRELESS LAN MODULE GN-1050
	BLUETOOTH MODULE GN-2010
	DATA OVERWRITE ENABLER GP-1070
	META SCAN ENABLER GS-1010
	WEB-SERVICES ENABLER GS-1020
	ACCESSIBLE ARM KK-2550

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright © 2009 TOSHIBA TEC. DS-4553BNE0903

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright © 2009 TOSHIBA TEC. DS455GRNE0903